



REDUCING FUEL CONSUMPTION AND CO₂ EMISSION IN MOTOR CARS

Valentinas Mickūnaitis, Alvydas Pikūnas, Igor Mackoitis

*Dept of Automobile Transport, Vilnius Gediminas Technical University
J. Basanavičiaus g. 28, LT-03224 Vilnius, Lithuania. E-mail: tiauto@ti.vgtu.lt*

Received 22 January 2007; accepted 2 May 2007

Abstract. The paper considers the problem associated with the dependence of fuel consumption and CO₂ emission by automobiles on their characteristics such as mass, class, engine displacement, transmission and type of fuel used. Automobiles of various classes offered in Lithuanian market were investigated from the above perspective. The main factors determining different average fuel consumption and CO₂ emission by these motor cars were identified. Some measures of reducing automobile fuel consumption and CO₂ emission are offered.

Keywords: fuel consumption, CO₂ emission, greenhouse gas.

1. Introduction

Global warming caused by carbon dioxide emission in the atmosphere made scientists start searching for the ways of reducing it.

Lithuania signed the Kyoto protocol requiring to reduce CO₂ emissions by 8 % by 2012, compared to the level of 1990 [1, 2]. For this purpose, various methods are used in automobile transport: new technologies and transport facilities are developed, the design of internal combustion engine is improved, power losses caused by transmission from the engine, mass and tractive resistance of the vehicle are reduced and more efficient equipment for on-board diagnostics and traffic control systems are developed. In addition, some alternative fuels are tested, more effective fuel consumption standards are established, maintenance and repair of vehicles, the structure of the car park and drivers' skills are improved, etc. [3–5].

The main problems investigated in Lithuania include the use of the alternative fuel, the improvement of the car park structure and performance of vehicles, and the reduction of fuel consumption [6, 7].

The present paper is aimed at determining the effect of the fuel used by a motor car, as well as its mass, type, engine displacement and transmission on fuel consumption and CO₂ emissions.

2. The analysis of fuel consumption and CO₂ emission

Fuel consumption and CO₂ emission by new automobiles (786 units) sold in Lithuania were determined according to the requirements raised by the Directive 1999/100/EB.

The effect of the type of fuel used on fuel con-

sumption and CO₂ emission is shown in Fig 1.

The data obtained show that average fuel consumption and CO₂ emission of the automobiles using diesel oil are lower than these characteristics of motor cars with petrol engines. However, the latter have some advantages over the automobiles with diesel engines as far as the amount of CO₂ emission per one litre of burnt fuel is concerned (e. g. petrol – 2 387.5 g CO₂/litre, diesel oil – 2 694.9 g CO₂/litre).

As shown in Fig 2, there is linear dependence between fuel consumption and CO₂ emission of motor cars.

The average values of fuel consumption and CO₂ emission, depending on the automobile engine displacement (capacity), are graphically represented in Fig 3.

The data presented in Fig 3 show that the larger the engine displacement, the higher the average fuel consumption and CO₂ emission of both types of motor cars having petrol and diesel engines. This is also shown in Fig 4 as linear dependence between motor car's fuel consumption and CO₂ emission, on the one hand, and engine displacement, on the other.

The relationship between fuel consumption and CO₂ emission of an automobile and its mass is presented in Fig 5.

The results obtained show that, when the automobile mass increases, average fuel consumption and CO₂ emission of both types of cars, having petrol and diesel engines, increases, consequently.

As shown in Fig 6, there is a linear relationship between average fuel consumption and CO₂ emission of an automobile and its mass.

The relationship between fuel consumption and CO₂ emission of an automobile and its class is given in Fig 6.




Fig 1. Average fuel consumption and CO₂ emission by motor cars depending on the fuel used




Fig 2. The relationship between CO₂ emission and fuel consumption of a motor car




Fig 3. Average fuel consumption and CO₂ emission by a motor car depending on its engine displacement




Fig 4. The relationship between fuel consumption and CO₂ emission of an automobile and its engine displacement




Fig 5. The relationship between average fuel consumption and CO₂ emission of an automobile and its mass




Fig 6. The relationship between average fuel consumption and CO₂ emission of an automobile and its class




Fig 7. The relationship between average fuel consumption and CO₂ emission of an automobile and type of transmission used

The data presented show that fuel consumption and CO₂ emission of full-size automobiles (using petrol or diesel oil) is twice as much as that of compact automobiles.

To determine the impact of the type of transmission on fuel consumption and CO₂ emission of an automobile, 595 mid-size motor vehicles with mechanical transmission and 191 cars with automatic transmission were investigated.

The data presented in Fig 7 show that automobiles with mechanical transmission consume less fuel and release smaller amounts of CO₂ than those using automatic transmission.

3. Conclusions

1. There is linear dependence between the emission of carbon dioxide (CO₂) and fuel consumption.
2. Average fuel consumption and CO₂ emission of automobiles using diesel oil is lower than these characteristics of cars using petrol – by 26 and 17 %, respectively, but, when burnt, one litre of diesel oil releases 2.7 kg of CO₂, while one litre of petrol produces 2.4 kg of this gas.
3. The larger the engine displacement of an automobile, the higher its fuel consumption and CO₂ emission.
4. The larger the automobile mass, the higher the fuel consumption and CO₂ emission. When mass is increased by 100 kg, fuel consumption and CO₂ emission grow by about 6.5 % for petrol engines and by 7.1 % for diesel engines.
5. Fuel consumption and CO₂ emission of automobiles with automatic transmission using petrol increase by about 19 %, compared to 35 % for such automobiles using diesel oil.

References

1. The road from Kyoto: current CO₂ and transport policies in the IEA/OECD. Paris: International Energy Agency, 2000. 170 p.

2. Saving oil and reducing CO₂ emission in transport: options and strategies, Paris: IEA/OECD, 2001. 193 p.
3. Strategies to reduce greenhouse gas emission from road transport: analytical methods. Paris: OECD, 2002. 68 p.
4. Official journal of the european communities commission directive 1999/100/EC of 15 December 1999, adapting to technical progress Council Directive 80/1286/EEC, relating to carbon dioxide emission and fuel consumption of motor vehicles, 1999.12.28.
5. BUREIKA, G.; PIKŪNAS, A. Investigation of feasibility to use petrolethanol mixtures for spark ignition engines. *Journal of KONES Internal combustion engines*. Warsaw, 1999, p. 16–22.
6. SAPRAGONAS, J.; ILGAKOJYTĖ-BAZARIENĖ, J. Transport model in traffic flow estimating vehicle emission. In *The 6th International Conference "Environmental Engineering" selected Papers*. Vilnius, Lithuania, May 26–27, 2005, p. 637–641.
7. MICKŪNAITIS, V.; PEČELIŪNAS, R. Research of influence of the car technical state on the toxicity of combustion products. In *Trans & MOTAUTO'05: International Scientific and Technical Conference on Transport, Road-Building and Hoisting & Hauling Technics and Technologies*: 23–25 November 2005, Veliko Tarnovo: Proceedings. Vol 2. Technics and technologies. Sofia: Scientific-Technical Union of Mechanical Engineering, 2005, p. 119–125.